S
625.794
H3a
1965

MONTANA STATE HIGHWAY COMMISSION

00102

SIGN INDEX

MONTANA SIGN INDEX

REVISED MAY 1, 1965

426.1

Montana State Library
3 0864 1006 4978 2

326.1
C.1

SIGN INDEX

REGULATORY SIGNS

RIGHT-OF-WAY SERIES	R0101 - R0104
SPEED SERIES	R0201 - R0213
MOVEMENT SERIES	R0301 - R0608
PARKING SERIES	R0701 - R0804
PEDESTRIAN SERIES	R0901 - R0907
MISCELLANEOUS	R1001 - R1009

WARNING SIGNS

HORIZONTAL ALIGNMENT SERIES	W0101 - W0107
INTERSECTION SERIES	W0201 - W0205
ADVANCE WARNING SERIES	W0301 - W0303
CONVERGING TRAFFIC SERIES	W0401 - W0402
NARROW ROADWAY SERIES	W0501 - W0503
HIGHWAY DESIGN CHANGE	W0601 - W0605
GRADE SERIES	W0701 - W0702
ROADWAY SURFACE CONDITION	W0801 - W0809
SCHOOL SERIES	W0901 - W0906
RAILROAD CROSSING	W1001 -
ENTRANCES AND CROSSINGS	W1101 - W1107
MISCELLANEOUS SERIES	W1201 - W1305
CONSTRUCTION SERIES	W2001 - W2106

GUIDE SIGNS

ROUTE MARKERS & AUXILIARY	M0101 - M0701
DESTINATION	D0100 -
DISTANCE	D0200 -
INFORMATION	N0101 - N0702

MARKERS & DELINEATORS

REFL. MARKERS & DELINEATORS	X0101 - X0402

EXPLANATION OF MONTANA HIGHWAY DEPARTMENT CODE NUMBERS

R 01 01 - 0 0

MAJOR SERIES

SUB-SERIES

SIGN NUMBER DESIGNATION

SPECIAL DESIGNATION
for use within the sign number series
(i.e. left, right, speed, distance)

SIGN SIZE
for use within the sign number series
0 = minimum allowable sign size
1 = standard size
2 = larger size

NOTE: Major series, sub-series and sign number in series conforms to the UNIFORM MANUAL.

*Denotes sign number not listed in the UNIFORM MANUAL but used in Montana.

NOTE: SPECIAL DESIGNATION number for Directional Arrows includes only a differentiation in color since both the Interstate and Standard markers are the same size.

Mont. Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
RIGHT-OF-WAY SERIES				
R 01 01-00	R1-1	24 X 24	STOP	
-01		30 X 30	"	
-02		36 X 36	"	
R 01 02-01	R1-2	36 X 36 X 36	YIELD RIGHT-OF-WAY	
-02		60 X 60 X 60	" " " "	
R 01 03-01	R1-3	12 X 6	FOUR WAY STOP	W/min. 30" STOP sign.
R 01 04-01	*R1-4	30 X 36	CROSSWALK STOP WHEN OCCUPIED	
SPEED SERIES				
R 02 01-01	R2-1 (25)	24 X 30	SPEED LIMIT 25	
-02		48 X 60	" " 25	
" " "-11	" (30)	24 X 30	" " 30	
-12		48 X 60	" " 30	
" " "-21	" (35)	24 X 30	" " 35	
-22		48 X 60	" " 35	
" " "-31	" (40)	24 X 30	" " 40	
-32		48 X 60	" " 40	
" " "-41	" (45)	24 X 30	" " 45	
-42		48 X 60	" " 45	
" " "-51	" (50)	24 X 30	" " 50	
-52	"	48 X 60	" " 50	
" " "-61	" (55)	24 X 30	" " 55	
-62		48 X 60	" " 55	
" " "-71	" (60)	24 X 30	" " 60	
-72		48 X 60	" " 60	
" " "-81	" (65)	24 X 30	" " 65	
-82		48 X 60	" " 65	
" " "-91	" (70)	24 X 30	" " 70	
-92		48 X 60	" " 70	
R 02 02-01	R2-2	24 X 24	TRUCK LIMIT 50	Use with R2-1 only.
-02	R2-2A	24 X 30	TRUCK SPEED LIMIT 50	
-03		48 X 60	" " " 50	
R 02 03-01	R2-3	24 X 24	NIGHT LIMIT 55	Use with R2-1 only.
-02	R2-3A	24 X 30	NIGHT SPEED LIMIT 55	
-03		48 X 60	" " " 55	
R 02 04-01	R2-4	24 X 30	MINIMUM SPEED	Specify.
-02		48 X 60	" "	Specify.

Mont. Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
R 02 05-01	R2-5	24 X 30	SPEED ZONE AHEAD	
R 02 06	R2-6			Not used.
R 02 07-01	R2-7	24 X 30	END SPEED ZONE	
R 02 08-01	*R2-8	24 X 48	SPEED LIMIT NIGHT 55 TRUCKS 50	
-02		48 X 96	" "	
R 02 10-01	*R2-10	24 X 18	RADAR CONTROL	Use with speed limit sign only.
R 02 11-01	*R2-11	24 X 30	SPEED CHECKED BY RADAR	
-02		48 X 60	" " " "	
R 02 12-01	*R2-12	132 X 84	SPEED LIMITS DAY REASONABLE & PRUDENT, NIGHT 55, TRUCK 50	
R 02 13-01	*R2-13	48 X 24	RADAR SPEED CONTROL IN MONTANA	State Line.
MOVEMENT SERIES				
R 03 01-01	R3-1	24 X 30	NO RIGHT TURN	
-02		48 X 60	" " "	
R 03 02-01	R3-2	24 X 30	NO LEFT RURN	
-02		48 X 60	" " "	
R 03 03-01	R3-3	24 X 24	NO TURNS	
-02		48 X 48	" "	
R 03 04-01	R3-4	24 X 30	NO U TURN	
-02		48 X 60	" " "	
R 03 05-01	R3-5	30 X 36		Overhead.
R 03 06-01	R3-6	30 X 36		Overhead.
R 03 07-01	R3-7	30 X 30	RIGHT LANE MUST TURN RIGHT	
-11		30 X 30	LEFT LANE MUST TURN LEFT	
R 03 08-01	R3-8	30 X 30		Post mounted.
R 03 09-01	*R3-9	24 X 30	RIGHT TURN LANE	
-11		24 X 30	LEFT TURN LANE	
R 04 01-01	R4-1	24 X 30	DO NOT PASS	
-02		48 X 60	" " "	

Mont. Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
R 04 02-01 -02	R4-2	24 X 30 48 X 60	PASS WITH CARE " " "	
R 04 03-01 -02	R4-3	24 X 30 48 X 60	SLOWER TRAFFIC KEEP RIGHT SLOWER TRAFFIC KEEP RIGHT	
R 04 04- R 04 05-01	R4-4 R4-5	24 X 30 48 X 60 24 X 30	KEEP RIGHT EXCEPT TO PASS TRUCKS USE RIGHT LANE	
R 04 06-01	R4-6	24 X 30	TRUCK LANE 500 FEET	
R 04 07-01 -02	R4-7	24 X 30 48 X 60	KEEP → RIGHT " " "	
R 04 08-01 -02	R4-8	24 X 30 48 X 60	KEEP ↗ RIGHT " " "	
R 04 10-01 -02	*R4-10	24 X 30 48 X 60	TWO LANE HIGHWAY DRIVING ON SHOULDER PROHIBITED " " "	
R 04 11-01 -02	*R4-11	24 X 30 48 X 60	NO DRIVING ON SHOULDER " " " "	
R 04 12-01 -02	*R4-12	24 X 30 30 X 36	DO NOT PASS WHEN SOLID LINE IS IN YOUR LANE " " "	
R 05 01-01 -02	R5-1	24 X 24 36 X 36	DO NOT ENTER " " "	
R 05 02-	R5-2			Not used.
R 05 03-	R5-3			Not used.
R 06 01-01 -11	R6-1	36 X 12 36 X 12	ONE WAY → ← ONE WAY	Right Left.
R 06 02-01 -11	R6-2	18 X 24 18 X 24	ONE WAY → ONE WAY ←	Right. Left.
R 06 03-01 -02	R6-3	24 X 30 48 X 60	TWO WAY TRAFFIC AHEAD " " " "	
R 06 04-01	R6-4	24 X 30	END ONE WAY	
R 06 07-01	*R6-7	24 X 30	TWO WAY TRAFFIC	
R 06 08-01	*R6-8	24 X 30	ONE WAY TRAFFIC AHEAD	

Mont. Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
R 04 02-01 -02	R4-2	24 X 30 48 X 60	PASS WITH CARE " " "	
R 04 03-01 -02	R4-3	24 X 30 48 X 60	SLOWER TRAFFIC KEEP RIGHT SLOWER TRAFFIC KEEP RIGHT	
R 04 04-	R4-4			Not used.
R 04 05-01	R4-5	24 X 30	TRUCKS USE RIGHT LANE	
R 04 06-01	R4-6	24 X 30	TRUCK LANE 500 FEET	
R 04 07-01 -02	R4-7	24 X 30 48 X 60	KEEP → RIGHT " " "	
R 04 08-01 -02	R4-8	24 X 30 48 X 60	KEEP ↗ RIGHT " " "	
R 04 10-01 -02	*R4-10	24 X 30 48 X 60	TWO LANE HIGHWAY DRIVING ON SHOULDER PROHIBITED " " "	
R 04 11-01 -02	*R4-11	24 X 30 48 X 60	NO DRIVING ON SHOULDER " " " "	
R 04 12-01 -02	*R4-12	24 X 30 30 X 36	DO NOT PASS WHEN SOLID LINE IS IN YOUR LANE " " " " "	
R 04 13-01	*R4-13	12 X 18	RIGHT TURN ON RED	
R 05 01-01 -02	R5-1	24 X 24 36 X 36	DO NOT ENTER " " "	
R 05 02-	R5-2			Not used.
R 05 03-	R5-3			Not used.
R 06 01-01 -11	R6-1	36 X 12 36 X 12	ONE WAY → ← ONE WAY	Right. Left.
R 06 02-01 -11	R6-2	18 X 24 18 X 24	ONE WAY → ONE WAY ←	Right. Left.
R 06 03-01 -02	R6-3	24 X 30 48 X 60	TWO WAY TRAFFIC AHEAD " " " "	
R 06 04-01	R6-4	24 X 30	END ONE WAY	
R 06 07-01	*R6-7	24 X 30	TWO WAY TRAFFIC	
R 06 08-01	*R6-8	24 X 30	ONE WAY TRAFFIC AHEAD	

Mont. Hiwy. Code. No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
PARKING SERIES				
R 07 01-01	R7-1	12 X 18	NO PARKING ANYTIME	
R 07 02-01	R7-2	12 X 18	NO PARKING 8:30 AM TO 5:30 PM	
R 07 03-01	R7-3	12 X 18	NO PARKING EXCEPT SUNDAYS & HOLIDAYS	
R 07 04-01	R7-4	12 X 18	NO STOPPING OR STANDING	
R 07 05-01	R7-5	12 X 18	ONE HOUR PARKING ___AM - ___PM	
R 07 06-01	R7-6	12 X 18	NO PARKING LOADING ZONE	
R 07 07-01	R7-7	12 X 18	NO PARKING BUS STOP	
R 07 10-01	*R7-10	12 X 18		Reserve for special legends.
R 08 01-01	R8-1	24 X 30	NO PARKING ON PAVEMENT	
R 08 02-	R8-2			Not used.
R 08 03-	R8-3			Not used.
R 08 04-01 -02	R8-4	36 X 24 48 X 36	EMERGENCY PARKING ONLY " " "	
PEDESTRIAN SERIES				
R 09 01-01	R9-1	18 X 24	WALK ON LEFT FACING TRAFFIC	
R 09 02-	R9-2			Not used.
R 09 03-	R9-3			Not used.
R 09 04-	R9-4			Not used.
R 09 05-	R9-5			Not used.
R 09 06-01	R9-6	9 X 12	PUSH BUTTON FOR GREEN LIGHT	
R 09 07-01	R9-7	9 X 12	PUSH BUTTON FOR WALK SIGNAL	
MISCELLANEOUS SERIES				
R 10 01-01 -02	R10-1	24 X 30 48 X 60	KEEP OFF MEDIAN " " "	

Mont.Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
R 10 02-01	R10-2	48 X 30	ROAD CLOSED	
R 10 03-01	R10-3	60 X 30	ROAD CLOSED ___ MILES AHEAD LOCAL TRAFFIC ONLY	
R 10 04-01	R10-4	18 X 24	LOAD LIMIT PER INCH TIRE WIDTH	
R 10 05-01	R10-5	13 X 13	300 LBS.	Supplementary signs for R10-4.
-11		13 X 13	350 LBS.	"
-21		13 X 13	400 LBS.	"
R 10 06-01	*R10-6	18 X 24	SPEED LIMIT - TRUCK 45 BUS 50	To be mounted in conjunction with R10-4.
R 10 08-01	*R10-8	24 X 30	LITTERING HIGHWAY PROHIBITED	
R 10 09-01	*R10-9	24 X 24	$100 REWARD SIGN	
				Other regulatory signs as required - specify.

Mont.Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
HORIZONTAL ALIGNMENT SERIES				
W 01 01-01	W1-1	30 X 30	TURN (RIGHT)	
-11		30 X 30	TURN (LEFT)	
W 01 02-01	W1-2	30 X 30	CURVE (RIGHT)	
-02		36 X 36	" "	
-03		48 X 48	" "	
-11		30 X 30	CURVE (LEFT)	
-12		36 X 36	" "	All 36 X 36 or larger warning signs to be used only as warranted by traffic investigation except for replacement.
-13		48 X 48	" "	
W 01 03-01	W1-3	30 X 30	REVERSE TURN (RIGHT)	
-11		30 X 30	REVERSE TURN (LEFT)	
W 01 04-01	W1-4	30 X 30	REVERSE CURVE (RIGHT)	
-02		36 X 36	" " "	
-03		48 X 48	" " "	
-11		30 X 30	REVERSE CURVE (LEFT)	
-12		36 X 36	" " "	
-13		48 X 48	" " "	
W 01 05-01	W1-5	30 X 30	WINDING ROAD (RIGHT)	
-02		36 X 36	" " "	
-11		30 X 30	WINDING ROAD (LEFT)	
-12		36 X 36	" " "	
W 01 06-01	W1-6	48 X 24	LARGE SINGLE ARROW	Reversible.
W 01 07-01	W1-7	48 X 24	LARGE DOUBLE ARROW	
INTERSECTION SERIES				
W 02 01-01	W2-1	30 X 30	CROSS ROAD	
W 02 02-01	W2-2	30 X 30	SIDE ROAD	
W 02 03-01	W2-3	30 X 30	" "	Specify right or left.
W 02 04-01	W2-4	30 X 30	T SYMBOL	
W 02 05-01	W2-5	30 X 30	Y SYMBOL	

Mont.Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
ADVANCE WARNING SERIES				
W 03 01-01	W3-1	30 X 30	STOP AHEAD	
-02		36 X 36	" "	
W 03 02-01	W3-2	30 X 30	YIELD AHEAD	
-02		36 X 36	" "	
W 03 03-01	W3-3	36 X 36	SIGNAL AHEAD	
CONVERGING TRAFFIC SERIES				
W 04 01-01	W4-1	30 X 30	MERGING TRAFFIC	
-02		36 X 36	" "	
-03		48 X 48	" "	
W 04 02-01	W4-2	30 X 30	WIDTH TRANSITION	Specify.
-02		36 X 36	" "	
-03		48 X 48	" "	
NARROW ROADWAY SERIES				
W 05 01-01	W5-1	30 X 30	ROAD NARROWS	
-02		36 X 36	" "	
W 05 02-01	W5-2	30 X 30	NARROW BRIDGE	
-02		36 X 36	" "	
W 05 03-01	W5-3	30 X 30	ONE LANE BRIDGE	
HIGHWAY DESIGN CHANGE SERIES				
W 06 01-01	W6-1	36 X 36	DIVIDED HIGHWAY	
-02		48 X 48	" "	
W 06 02-01	W6-2	36 X 36	DIVIDED HIGHWAY ENDS	
-02		48 X 48	" " "	
W 06 03-	W6-3			Not used.
W 06 04-01	W6-4	48 X 48	FREEWAY ENDS	
W 06 05-01	W6-5	30 X 30	DEAD END	
GRADE SERIES				
W 07 01-01	W7-1	30 X 30	HILL	
W 07 02-01	*W7-2	30 X 30	HILL-TRUCKS GEAR DOWN	Message may vary.
ROADWAY SURFACE CONDITION SERIES				
W 08 01-01	W8-1	30 X 30	BUMP	
W 08 02-	W8-2			Not used.
W 08 03-01	W8-3	30 X 30	PAVEMENT ENDS	
W 08 04-01	W8-4	30 X 30	SOFT SHOULDERS	
W 08 05-01	W8-5	30 X 30	SLIPPERY WHEN WET	

Mont.Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
W 08 06-01	*W8-6	30 X 30	ROUGH ROAD	
W 08 07-01	*W8-7	30 X 30	LOOSE GRAVEL	
W 08 08-01	*W8-8	30 X 30	ICY ROAD	
W 08 09-01	*W8-9	30 X 30	WATCH FOR FALLEN ROCK	
SCHOOL SERIES				
W 09 01-01 -02	W9-1	30 X 30 **36 X 36	SCHOOL "	All school signs non-reflectorized.
W 09 02-01 -02	W9-2	30 X 30 **36 X 36	SCHOOL CROSSING " "	
W 09 05-01 -02	*W9-5	30 X 30 **36 X 36	SCHOOL CROSSING AHEAD " " "	**All 36 X 36 school signs to be used only as warranted by investigation.
W 09 06-01	*W9-6	30 X 30	SCHOOL BUS STOP AHEAD	
RAILROAD SERIES				
W 10 01-01	W10-1	36" dia.	R. R. ADVANCE WARNING	
ENTRANCE AND CROSSING SERIES				
W 11 01-01	W11-1	30 X 30	TRUCK CROSSING	
W 11 02-01	*W11-2	30 X 30	PEDESTRIAN CROSSING	
W 11 03-01	*W11-3	30 X 30	STOCK CROSSING	
W 11 04-01	*W11-4	30 X 30	DEER CROSSING	
W 11 05-01	*W11-5	30 X 30	CHILDREN CROSSING	
W 11 06-01	*W11-6	30 X 30	PEDESTRIANS	To be used only as warranted by investigation.
W 11 07-01	*W11-7	30 X 30	RANGE STOCK AT LARGE	
MISCELLANEOUS SERIES				
W 12 01-01	W12-1	24 X 24	DOUBLE ARROW SYMBOL	
W 12 02-01	W12-2	36 X 36	LOW CLEARANCE ___FT. ___IN.	
W 12 03-01	*W12-3	30 X 15	½ MILE	Use only in conjunction with standard warning sign. This distance can vary to suit situation.

Mont.Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
W 13 01-01 -02	W13-1	18 X 18 24 X 24	ADVISORY SPEED PLATE " " "	
W 13 02-01	W13-2	12 X 18	SIGNALS SET FOR___MPH	
W 13 05-01 -02	*W13-5	30 X 36 48 X 60	EXIT ___MPH " " "	 Interstate.
CONSTRUCTION SERIES				
W 20 01-	W20-1c			Not used.
W 20 02-01	W20-2d	48 X 48	DETOUR AHEAD	
W 20 03-01	W20-3d	48 X 48	ROAD CLOSED AHEAD	
W 20 04-	W20-4			Not used.
W 20 05-	W20-5			Not used.
W 20 06-01	W20-6a -6b -6c	48 X 48 48 X 48 48 X 48	SINGLE LANE 1500 FT. SINGLE LANE 1000 FT. SINGLE LANE 500 FT.	
W 20 07-01	W20-7	48 X 48	FLAGMAN AHEAD	
W 21 01-01	W21-1	30 X 30	MEN WORKING	Fluorescent.
W 21 02-01	W21-2	24 X 24	FRESH OIL	
W 21 03-	W21-3			Not used.
W 21 04-01	W21-4	30 X 30	ROAD WORK AHEAD	
W 21 05-	W21-5			Not used.
W 21 06-01	W21-6	30 X 30	SURVEY PARTY	Fluorescent.

Mont.Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
ROUTE MARKERS AND AUXILIARY MARKERS				
M 01 01-01	M1-1	24 X 24	US RTE. MARKER (SHIELD)	1 - 2 digit.
-02		24 X 24	" " " "	2 digit, Interstate only
-03		28 X 24	" " " "	3 digit, " "
M 01 02-01	M1-2	24 X 24	US RTE. MARKER (PANEL)	1 - 2 digit.
M 01 03-01	*M1-3	18 X 18	INTERSTATE-TRAILBLAZER (SHIELD)	
M 01 04-01	*M1-4	24 X 24	INTERSTATE-MONTANA (SHIELD)	
-02		36 X 36	" "	
M 01 05-01	*M1-5	24 X 24	INTERSTATE-BUSINESS (SHIELD) SPUR	
-02		36 X 36	" "	
-11		24 X 24	INTERSTATE-BUSINESS (SHIELD) LOOP	
-12		36 X 36	" "	
M 01 06-01	*M1-6	15 X 15	STATE RTE. MARKER (PRIMARY PANEL)	
-02		24 X 24	" "	
M 01 07-01	*M1-7	24 X 24	STATE RTE. MARKER (SECONDARY PANEL)	
M 02 01-01	M2-1	21 X 15	JUNCTION	Standard.
-11	*M2-1A	21 X 15	JUNCTION	Interstate.
M 02 02-	M2-2			Not used.
M 03 01-11	M3-1	21 X 15	RT.ADV.TURN ARROW	90° Standard.
-51	*M3-1A	21 X 15	" " " "	90° Interstate*.
-21	M3-1	21 X 15	LFT.ADV.TURN ARROW	90° Standard.
-61	*M3-1A	21 X 15	" " " "	90° Interstate*.
M 03 02-11	M3-2	21 X 15	RT.ADV. TURN ARROW	45° Standard.
-51	*M3-2A	21 X 15	" " " "	45° Interstate*.
-21	M3-2	21 X 15	LFT.ADV.TURN ARROW	45° Standard.
-61	*M3-2A	21 X 15	" " " "	45° Interstate*.
M 04 01-01	M4-1	21 X 15	HORIZONTAL ARROW	Standard.
-11	*M4-1A	21 X 15	" "	Interstate*.
M 04 02-11	M4-2	21 X 15	RT. DIR. ARROW	Standard.
-51	*M4-2A	21 X 15	" " "	Interstate*.
-21	M4-2	21 X 15	LFT. DIR. ARROW	Standard.
-61	*M4-2A	21 X 15	" " "	Interstate*.

*See note on Explanation of Code Number - Page 2.

Mont.Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
M 04 03-01	M4-3	21 X 15	VERTICAL ARROW	Standard.
-11	*M4-3A	21 X 15	" "	Interstate.
M 04 04-01	M4-4	21 X 15	DOUBLE HORIZ.	
M 04 05-11	M4-5	21 X 15	DOUBLE RIGHT	
-21		21 X 15	DOUBLE LEFT ARROW	
M 04 06-11	M4-6	21 X 15	RIGHT VERTICAL-HORIZONTAL ARROW	
-21		21 X 15	LEFT VERTICAL-HORIZONTAL ARROW	
M 04 07-11	M4-7	21 X 15	RIGHT VERTICAL 45° ARROW	
-21		21 X 15	LEFT VERTICAL 45° ARROW	
M 05 01-01	M5-1	21 X 9	TEMPORARY	
M 05 02-01	M5-2	21 X 9	ALTERNATE	
M 05 03-01	M5-3	21 X 9	BY-PASS	
M 05 04-	M5-4			Not used.
M 05 05-01	M5-5	21 X 9	BUSINESS	
M 05 06-01	M5-6	21 X 9	DETOUR	
M 05 07-11	M5-7	24 X 9	RIGHT DETOUR ARROW	
-21		24 X 9	LEFT " "	
M 06 01-01	M6-1	21 X 9	NORTH(CARD. DIRECTION)	Standard.
-11	*M6-1A	21 X 9	" " "	Interstate.
-12	*M6-1B	30 X 15	" " "	Interstate.
M 06 02-01	M6-2	21 X 9	EAST " "	Standard.
-11	*M6-2A	21 X 9	" " "	Interstate.
-12	*M6-2B	30 X 15	" " "	Interstate.
M 06 03-01	M6-3	21 X 9	SOUTH " "	Standard.
-11	*M6-3A	21 X 9	" " "	Interstate.
-12	*M6-3B	30 X 15	" " "	Interstate.
M 06 04-01	M6-4	21 X 9	WEST " "	Standard.
-11	*M6-4A	21 X 9	" " "	Interstate.
-12	*M6-4B	30 X 15	" " "	Interstate.
M 07 01-01	M7-1	18 X 12	TO (TRAILBLAZER)	

Mont.Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
DESTINATION				Mileage will not be shown on Destination signs(D1) in order to give greater prominence to place names and arrows. Mileage will be shown on the Distance sign(D2) when leaving the intersection. 6" or larger legend to be used on all primary roads for destination and distance signs.
D 01 00	D1	Variable	4" LEGEND	
01	D1	Variable	6" LEGEND, OR LARGER	
DISTANCE				
D 02 00	D2	Variable	4" LEGEND	
01	D2	Variable	6" LEGEND, OR LARGER	
D 03 00	D3		Not used.	
PARKING				
D 04 00	D4	48 X 48	REST AREA PARKING	Green legend on white to be used in rest areas to designate parking areas.
INFORMATION				
N 01 01-01	*N1-1	24 X 24	HISTORIC POINT 1000 FT.	
-02		48 X 36	" " " "	
N 02 01-01	*N2-1			Not used.
N 02 02-01	*N2-2			Not used.
N 02 03-01	*N2-3			Not used.
N 03 01-01	*N3-1	24 X 24 X 12	ROADSIDE TABLES ½ MILE	Distance varies.
N 03 02-01	*N3-2	24 X 24 X 12	" " ARROW (RT.)	
N 03 03-01	*N3-3	24 X 24 X 12	" " ARROW (LEFT)	
N 04 01-01	*N4-1	24 X 12	WATER 500 FT.	
N 05 01-01	*N5-1	48 X 24	MONT. HIGHWAY DEPT.	Building sign.
N 05 02-01	*N5-2	24 X 12	PROPERTY OF STATE HIGHWAY DEPARTMENT PENALTY FOR THEFT	
N 06 01-00	*N6-1	Variable	ENTERING (Town)	
N 06 02-00	*N6-2	Variable	(Name) RIVER	
N 06 03-00	*N6-3	Variable	(Name) COUNTY LINE	
N 07 01-00	*N7-1	36 X 30 X 18	REST AREA ½ MI.	
N 07 02-00	*N7-2	36 X 30 X 18	REST AREA →	
N 08 01-00	*N8-1	36 X 30 X 18	SCENIC TURNOUT ½ MI.	
N 08 02-00	*N8-2	36 X 30 X 18	SCENIC TRUNOUT →	

Mont.Hiwy. Code No.	Uniform Manual	SIZE	DESCRIPTION	REMARKS
REFLECTORIZED MARKERS AND DELINEATORS				
X 01 01-01	*X1-1	12 X 24	BRIDGE MARKER (RIGHT)	
-11		12 X 24	" " (LEFT)	
-02		12 X 36	" " (RIGHT)	
-12		12 X 36	" " (LEFT)	
X 02 01-01	*X2-1	72 X 12	REFLECTOR MARKER (RIGHT)	
-11		72 X 12	" " (LEFT)	
X 03 01-01	*X3-1	13 X 13	HAZARD MARKER	
X 03 02-01	*X3-2	18 X 18	" "	9 reflector buttons (15" X 15" min. size).
DELINEATORS				
X 04 01-01	*X4-1	3" Dia.	CRYSTAL (SINGLE)	
X 04 02-01	*X4-2	3" Dia.	AMBER (SINGLE)	
-02		3" Dia.	AMBER (DOUBLE VERTICAL)	
-03		3" Dia.	" (TRIPLE VERTICAL)	
-13		3" Dia.	" (TRIPLE HORIZ.)	
-22		3" Dia.	" (DOUBLE VERTICAL)	4 lens mounted back-to-back.